

Certificate of Product Approval

Certificate Number: 1075k

Issue: 01

Charter Global Limited

1 Darwin Close
Reading
Berkshire
RG2 0TB



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Obexion MDE
security shutters

Standard

LPS 1175: Issue 8

Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Chris Hunt
Verifier

11 November 2024
Date of Issue

11 November 2024
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1075k Charter Global Limited

Issue: 01

Security Shutters

Product Name	Model	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref No.
Obexion MDE	MDE-05	Internally face fitted roller shutter incorporating solid laths	1.0	10.0	1.0	6.0	E5	1075k/01
		Externally face fitted roller shutter incorporating solid laths	1.3	10.0	1.0	6.0		
	MDE-10	Internally face fitted roller shutter incorporating solid laths	1.0	10.0	1.0	6.0	E10 (SR5)	1075k/02
		Externally face fitted roller shutter incorporating solid laths	1.3	10.0	1.0	6.0		
	MDE-15	Internally face fitted roller shutter incorporating solid laths	1.0	10.0	1.0	6.0	E15	1075k/03
		Externally face fitted roller shutter incorporating solid laths	1.3	10.0	1.0	6.0		
	MDE-20	Internally face fitted roller shutter incorporating solid laths	1.0	10.0	1.0	6.0	E20	1075k/04
		Externally face fitted roller shutter incorporating solid laths	1.3	10.0	1.0	6.0		

Approved Installation Configurations

Product Name	Configuration	Substrate	
		Reinforced concrete	Structural steelwork
Obexion MDE	Internally or externally face fitted roller shutter	✓	✓

Notes:

- The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.
- The approval only applies to the shutters when installed strictly in accordance with the instructions and using the fixings provided with the product.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

11 November 2024
Date of Issue

11 November 2024
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

